

Strengthening Landmark Heuristics via Hitting Sets

Blai Bonet¹ Malte Helmert²

¹Universidad Simón Bolívar, Caracas, Venezuela

²Albert-Ludwigs-Universität Freiburg, Germany

ECAI 2010 – August 18th, 2010

Our contribution

Area: **heuristics** for optimal classical planning

Our contribution

- **stronger** way of **exploiting landmarks** for heuristic functions
- **systematic** way of **generating landmarks** for delete relaxation
- theoretical results relating new ideas to
 - **admissible landmark heuristics** (Karpas & Domshlak, 2009)
 - **landmark-cut heuristic** (Helmert & Domshlak, 2009)
 - **optimal delete relaxation h^+** (Hoffmann & Nebel, 2001)
 - **fixed-parameter tractability** of problems of hitting sets
- new **poly-time heuristic family** that **dominates landmark-cut**

Relaxed planning

Optimal planning

Optimal planning:

- shortest paths in huge implicit graphs
- no formal definition here

What we need to know:

- state-of-the-art planners: heuristic search
- optimal planners: A^* + heuristics
- many use delete relaxation (“relaxed planning tasks”)
- want accurate estimates of optimal delete relaxation cost h^+

Relaxed planning tasks

Obtained by **removing the deletes** of each action

Definition (relaxed planning task)

F : finite set of **facts**

- **initial facts** $I \subseteq F$ are given
- **goal facts** $G \subseteq F$ must be reached
- **operators** of the form $o[4] : a, b \rightarrow c, d$
read: If we already have facts a and b (**preconditions** $pre(o)$),
we can apply o , paying 4 units (**cost** $cost(o)$),
to obtain facts c and d (**effects** $eff(o)$)

For simplicity (WLOG): assume $I = \{i\}$, $G = \{g\}$, all $pre(o) \neq \emptyset$

Example: relaxed planning task

Example

$o_1[3] : i \rightarrow a, b$

$o_2[4] : i \rightarrow a, c$

$o_3[5] : i \rightarrow b, c$

$o_4[0] : a, b, c \rightarrow g$

One way to reach $\{g\}$ from $\{i\}$:

- apply sequence o_1, o_2, o_4 (**plan**)
- **cost:** $3 + 4 + 0 = 7$ (**optimal**)

Optimal relaxed cost

- $h^+(I)$: minimal total cost to reach G from I
 - **Very good heuristic** function for optimal planning
 - **NP-hard** to compute (Bylander, 1994)
or approximate by constant factor (Betz & Helmert, 2009)
- ↪ use polynomial-time **admissible heuristics**

Relaxed planning
○○○○○

Landmarks
●○○

Exploiting LMs
○○○○○

Generating LMs
○○○○○

Improved LM-cut
○○○○○

Conclusion
○○

Landmarks

Landmarks

The **most accurate** current heuristics are based on **landmarks**.

Definition (landmark)

A (disjunctive action) **landmark** is a set of operators L such that **each plan** must contain some element of L .

The **cost** of a landmark, $cost(L)$, is $\min_{o \in L} cost(o)$.

↪ the cost of any landmark is a (crude) admissible heuristic

Example: landmarks

Example

$o_1[3] : i \rightarrow a, b$

$o_2[4] : i \rightarrow a, c$

$o_3[5] : i \rightarrow b, c$

$o_4[0] : a, b, c \rightarrow g$

Some landmarks:

- $W = \{o_4\}$ (cost 0)
- $X = \{o_1, o_2\}$ (cost 3)
- $Y = \{o_1, o_3\}$ (cost 3)
- $Z = \{o_2, o_3\}$ (cost 4)
- but also: $\{o_1, o_2, o_3\}$ (cost 3), $\{o_1, o_2, o_4\}$ (cost 0), ...

Exploiting landmarks

Exploiting landmarks

Assume we are given landmark set $\mathcal{L} = \{W, X, Y, Z\}$
(later: how to find such landmarks)

How do we **exploit** \mathcal{L} for heuristics?

- **sum** of costs $0 + 3 + 3 + 4 = 10 \rightsquigarrow$ **inadmissible!**
- **maximum** of costs: $\max\{0, 3, 3, 4\} = 4 \rightsquigarrow$ **weak**
- best previous approach: **optimal cost partitioning**

Optimal cost partitioning (Karpas & Domshlak (2009))

Example

$cost(o_1) = 3, cost(o_2) = 4, cost(o_3) = 5, cost(o_4) = 0$

$\mathcal{L} = \{W, X, Y, Z\}$

with $W = \{o_4\}, X = \{o_1, o_2\}, Y = \{o_1, o_3\}, Z = \{o_2, o_3\}$

LP: maximize $w + x + y + z$ subject to $w, x, y, z \geq 0$ and

$$\begin{array}{rccccccc}
 & & x & + & y & & \leq & 3 & o_1 \\
 & & x & + & & & z & \leq & 4 & o_2 \\
 & & & & y & + & z & \leq & 5 & o_3 \\
 w & & & & & & & \leq & 0 & o_4 \\
 W & X & Y & & Z & & & & &
 \end{array}$$

solution: $w = 0, x = 1, y = 2, z = 3 \rightsquigarrow$

$$h^L(l) = 6$$

Hitting sets

Definition (hitting set)

Given: **finite set** A , **subset family** $\mathcal{F} \subseteq 2^A$, **costs** $c: A \rightarrow \mathbb{R}_0^+$

Hitting set:

- subset $H \subseteq A$ that “hits” all subsets in \mathcal{F} :
 $H \cap S \neq \emptyset$ for all $S \in \mathcal{F}$
- **cost** of H : $\sum_{a \in H} c(a)$

Minimum hitting set (MHS):

- minimizes cost
- classical NP-complete problem (Karp, 1972)

Landmarks and hitting sets

Can view **landmark sets** (with operator costs)
as instances of **minimum hitting set** problem

Example

$$A = \{o_1, o_2, o_3, o_4\}$$

$$\mathcal{F} = \{W, X, Y, Z\}$$

$$\text{with } W = \{o_4\}, \quad X = \{o_1, o_2\}, \quad Y = \{o_1, o_3\}, \quad Z = \{o_2, o_3\}$$

$$c(o_1) = 3, \quad c(o_2) = 4, \quad c(o_3) = 5, \quad c(o_4) = 0$$

Minimum hitting set: $\{o_1, o_2, o_4\}$ with cost $3 + 4 + 0 = 7$

Hitting set heuristics

Let \mathcal{L} be a set of landmarks.

Theorem (hitting set heuristics are admissible)

Let $h^{MHS}(I)$ be the minimum hitting set cost for $\langle O, \mathcal{L}, cost \rangle$.

Then:

- 1 $h^{MHS}(I) \geq h^L(I)$ (hitting sets *dominate cost partitioning*)
- 2 $h^{MHS}(I) \leq h^+(I)$ (hitting set heuristics are *admissible*)

Generating landmarks

Generating landmarks

How do we **generate** landmarks in the first place?

- most successful previous approach: **LM-cut procedure** (Helmert & Domshlak, 2009)
- we present a generalization based on:
 - construction of **justification graph**
 - extraction of landmarks from justification graph

Justification graphs

Definition (precondition choice function)

A **precondition choice function** (pcf) $D : O \rightarrow F$ maps each operator to one of its preconditions.

Definition (justification graph)

The **justification graph** for pcf D is an arc-labeled digraph with


- **vertices**: the facts F
- **arcs**: arc $D(o) \xrightarrow{o} e$ for each operator o and effect $e \in \text{eff}(o)$

Example: justification graph

Example

pcf D : $D(o_1) = D(o_2) = D(o_3) = i$, $D(o_4) = a$

$o_1[3] : i \rightarrow a, b$
 $o_2[4] : i \rightarrow a, c$
 $o_3[5] : i \rightarrow b, c$
 $o_4[0] : a, b, c \rightarrow g$




Example: cuts of a justification graph

Example

Landmark $W = \{o_4\}$ (cost 0)

$o_1[3] : i \rightarrow a, b$
 $o_2[4] : i \rightarrow a, c$
 $o_3[5] : i \rightarrow b, c$
 $o_4[0] : a, b, c \rightarrow g$




Example: cuts of a justification graph

Example

Landmark $X = \{o_1, o_2\}$ (cost 3)

$o_1[3] : i \rightarrow a, b$
 $o_2[4] : i \rightarrow a, c$
 $o_3[5] : i \rightarrow b, c$
 $o_4[0] : a, b, c \rightarrow g$




Example: cuts of a justification graph

Example

Landmark $Y = \{o_1, o_3\}$ (cost 3)

$o_1[3] : i \rightarrow a, b$
 $o_2[4] : i \rightarrow a, c$
 $o_3[5] : i \rightarrow b, c$
 $o_4[0] : a, b, c \rightarrow g$




Example: cuts of a justification graph

Example

Landmark $Z = \{o_2, o_3\}$ (cost 4)

$o_1[3] : i \rightarrow a, b$
 $o_2[4] : i \rightarrow a, c$
 $o_3[5] : i \rightarrow b, c$
 $o_4[0] : a, b, c \rightarrow g$



Power of justification graph cuts

- Which landmarks can be generated with the cut method?
- **All interesting ones!**

Theorem (perfect hitting set heuristics)

Let \mathcal{L} be the set of all “cut landmarks”.

Then $h^{MHS}(I) = h^+(I)$.

↪ hitting set heuristic over \mathcal{L} is **perfect**

Improving the LM-cut heuristic

Polynomial hitting set heuristics

How practical are our results?

- minimum hitting set is **NP-hard**
- number of cut landmarks is **exponential**

We show how to apply our results to derive

- **polynomial** heuristics which
- dominate the **LM-cut heuristic**

LM-cut heuristic

- Computes a collection of landmarks by using pcfs that choose preconditions **maximizing h^{\max}**
- Derived landmarks are pairwise **disjoint**
- Thus, costs can be combined (admissibly) with **addition**

Improved LM-cut

Improve the LM-cut heuristic by

- 1 Generating more landmarks:
 - Perform the LM-cut computation p times (parameter)
 - Use random tie-breaking to make runs different
 - Collect all generated landmarks in a set \mathcal{L} .
- 2 Exploiting them in a smarter way:
 - Introduce a width parameter k for hitting set instances such that MHS is fixed-parameter tractable w.r.t. k
 - Remove some landmarks from \mathcal{L} to bound the width
 - Solve resulting MHS problem in polynomial time

Preliminary experiments

| # | LM-cut | $h_{p,k}^{\text{LM-cut}}$ with $k = 5$ | | | $h_{p,k}^{\text{LM-cut}}$ with $k = 10$ | | | $h_{p,k}^{\text{LM-cut}}$ with $k = 15$ | | |
|--|---------|--|---------|---------|---|---------|---------|---|---------|---------|
| | | $p = 3$ | $p = 4$ | $p = 5$ | $p = 3$ | $p = 4$ | $p = 5$ | $p = 3$ | $p = 4$ | $p = 5$ |
| Pipesworld-NoTankage (rel. error of LM-cut wrt $h^+ = 19.45\%$) | | | | | | | | | | |
| 06 | 107 | 45.8 | 54.2 | 67.3 | 49.5 | 54.2 | 68.2 | 49.5 | 54.2 | 68.2 |
| 07 | 3 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 08 | 84 | 47.6 | 57.1 | 81.0 | 58.3 | 75.0 | 76.2 | 58.3 | 75.0 | 76.2 |
| 10 | 137,092 | 30.2 | 40.1 | 46.9 | 32.9 | 43.9 | 50.0 | 33.7 | 47.0 | 55.1 |
| Pipesworld-Tankage (rel. error of LM-cut wrt $h^+ = 18.42\%$) | | | | | | | | | | |
| 05 | 74 | 58.1 | 70.3 | 70.3 | 58.1 | 67.6 | 70.3 | 58.1 | 67.6 | 70.3 |
| 06 | 223 | 41.7 | 52.0 | 60.5 | 43.0 | 55.6 | 70.0 | 43.0 | 55.6 | 70.0 |
| 07 | 323 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 08 | 36,203 | 77.3 | 84.9 | 87.6 | 77.5 | 85.0 | 88.2 | 77.9 | 85.8 | 89.2 |
| Openstacks (rel. error of LM-cut wrt $h^+ = 18.09\%$) | | | | | | | | | | |
| 04 | 1,195 | 53.4 | 57.8 | 59.0 | 58.5 | 63.9 | 66.7 | 63.7 | 66.8 | 71.5 |
| 05 | 1,195 | 52.6 | 57.4 | 59.7 | 58.8 | 65.0 | 66.6 | 61.5 | 65.6 | 69.8 |
| 06 | 211,175 | 64.6 | 64.9 | 65.2 | 69.0 | 70.7 | 71.7 | 69.8 | 71.2 | 72.0 |
| 07 | 266,865 | 60.7 | 61.3 | 61.8 | 65.1 | 66.4 | 67.2 | 65.4 | 66.8 | 67.3 |
| Freecell (rel. error of LM-cut wrt $h^+ = 13.92\%$) | | | | | | | | | | |
| pf4 | 36,603 | 70.7 | 75.2 | 78.4 | 70.3 | 76.3 | 79.6 | 72.3 | 77.3 | 79.8 |
| pf5 | 53,670 | 73.6 | 76.0 | 77.9 | 74.4 | 77.1 | 78.8 | 75.0 | 77.6 | 79.3 |
| 2-5 | 277 | 72.9 | 73.3 | 74.0 | 72.9 | 73.3 | 74.0 | 72.9 | 73.3 | 74.0 |
| 3-4 | 17,763 | 44.6 | 62.8 | 73.1 | 44.7 | 62.8 | 72.1 | 44.7 | 62.6 | 72.1 |

Conclusion

Conclusion

Summary:

- **Hitting sets** for landmarks are more informative than optimal cost partitioning
- **Cuts** in justification graphs offer a **principled** and **complete** method for generating landmarks
- Hitting sets over **all cut landmarks** are perfect heuristics for delete relaxations
- These concepts can be exploited in **practical heuristics**